1	BEFORE THE					
2	ILLINOIS COMMERCE COMMISSION					
3	ETHYL PETROLEUM ADDITIVES, INC.) DOCKET NO.) 00-0632					
4)					
5	Petition Pursuant to) Section 726.205(b)(3) of the) Emergency Telephone System Act for)					
6 ;	an Order of Authority to Operate a)					
7	Private Emergency Answering Point) (PEAP)					
8	Springfield, Illinois October 31, 2000					
9	Met, pursuant to notice, at 9:00 a.m.					
10	BEFORE:					
11 ~						
12	MR. SHOWTIS, Examiner					
10	APPEARANCES:					
13	MS. STACY BUECKER					
14	527 East Capitol Springfield, IL 62701					
15	(Appearing on behalf of the Staff of the Illinois Commerce Commission.)					
16	MR. EDWARD COX					
17	(Appearing via telephone on behalf of Ethyl Petroleum Additives, Inc.)					
18	, , , , , , , , , , , , , , , , , , ,					
19						
20						
21	SULLIVAN REPORTING COMPANY, by Tracy G. Bartolomucci, Reporter					
22	Ln. #084-003861					

1		I N D	E X		
2	WITNESSES	DIRECT	CROSS	REDIRECT	RECROSS
3	None.				
4					
5					
6					•
7		IND	r y		
8		I N D			
9	<u>EXHIBITS</u>		<u>M.A.</u>	ARKED	ADMITTED
10	None marked.				
11					
12					
13					1
14					
15					
16					
17					
18					
19					
20					
21					
22					
1					

PROCEEDINGS

vested in me by the Commission, I now call for hearing Docket 00-0632, which concerns the Petition of Ethyl Petroleum Additives, Inc. pursuant to Section 726.205(b)(3) of the Emergency Telephone System Act for an order of authority to operate a Private Emergency Answering Point.

Will the parties in Springfield enter their appearances for the record.

MS. BUECKER: Stacy Buecker,
Telecommunications Division, Illinois Commerce
Commission, 527 East Capitol Avenue, Springfield,
Illinois.

EXAMINER SHOWTIS: Mr. Cox, are you hooked up by phone?

MR. COX: Yes, I am.

EXAMINER SHOWTIS: Would you state your name and your position with Ethyl Petroleum.

MR. COX: I'm Edward Cox. I'm the regulatory advisor for Ethyl Petroleum Additives Incorporated.

EXAMINER SHOWTIS: At the initial hearing in this docket, questions were asked concerning Ethyl's plan to upgrade the backup power supply so it would meet the requirements in the Commission's rule, and the hearing was continued to today's date to allow time for Mr. Cox to determine when this upgrade might take place.

Do you have any further information at this time, Mr. Cox?

MR. COX: Yes, I do. Since we last spoke,
I went to our management and explained the situation
about this thing. We did authorize kind of emergency
fund that were unbudgeted to upgrade the phone switch
battery backup system. I did get \$7800 approved to
buy this equipment this year rather than waiting
until the first of January.

I have ordered the equipment from a company called Engineer Design Facilities, who does our maintenance and work on our phone switch. They are promising the equipment to arrive, worst case, on November the 20th. Basically, what will happen is when we do receive the equipment, then we will have

to schedule their engineer in for a day and coordinate that installation with our maintenance department. Basically, it involves shutting down the switch momentarily. They'll have to replace some batteries in the cabinet, install a larger cabinet and put the additional batteries in. So it is really just a capacity upgrade for us.

EXAMINER SHOWTIS: So you would hope to have the backup power supply installed, hopefully, by the end of this month?

MR. COX: Yeah. They're telling me worst case delivery on the equipment is 11-20 of 2000. I would imagine it will take a week to schedule their technician in and then to coordinate this work with our maintenance department. We have to have our maintenance department present to assist their technical engineer with the physical placement and removal and all that stuff. So, yeah, if I can get this thing in by -- as they're promising by the 20th, I'm confident I can have it done by December 1st.

EXAMINER SHOWTIS: Let's go off the record.

(Whereupon an off the record

discussion was held.)
EXAMINER SHOWTIS: The next hearing in this
matter will be on December 1st, 2000 at 9:00 a.m.
At that hearing, I will expect Mr. Cox to report the
status of the installation of the backup power
supply.
Is there anything else to discuss on the
record?
Then the hearing is continued to that date
and time.
(Continued to December 1st, 2000 at
9:00 a.m.)

1	STATE OF TELETHOTS)
2) SS: COUNTY OF SANGAMON)
3	
4	<u>CERTIFICATE</u>
5	
6	I, Tracy Bartolomucci, CSR and Notary Public, do
7	hereby certify that I reported in shorthand the
8	foregoing proceedings and the foregoing is a true and
9	correct transcript of my shorthand notes so taken as
10	aforesaid.
11	I further certify that I am in no way
12	related to or associated with any of the parties or
13	attorneys involved herein, nor am I financially
14	interested in the action.
15 16	Tracy Bartolomucer
17	TRACY BAR OLOMUCCI, CSR Notary Public, Sangamon County, IL CSR License No. 084-003861
18	CDN DECOMBS NOT COLOUR
19	Dated this 1st day of November, A.D., 2000
20	November, R.D., 2000
21	My commission expires 3-6-2002
22	MA COMMISSION EXPITES 2-0-5005
	OFFICIAL SEAL TRACY BARTOLOMUCCI NOTARY PUBLIC, STATE OF ILLINOIS MY COMMISSION EXPIRES 3-6-2002